


AWS D1.2/D1.2M:2003
An American National Standard



Structural Welding Code— Aluminum



American Welding Society



Key Words—Aluminum plate, castings, cyclically loaded structures, inspection, qualification, structural details, statically loaded structures, structural shapes, stud welding, tubular structures

AWS D1.2/D1.2M:2003
An American National Standard

Approved by
American National Standards Institute
February 6, 2003

Structural Welding Code— **Aluminum**

Fourth Edition

Supersedes ANSI/AWS D1.2-97

Prepared by
AWS D1 Committee on Structural Welding

Under the Direction of
AWS Technical Activities Committee

Approved by
AWS Board of Directors

Abstract

This code covers the welding requirements for any type structure made from aluminum structural alloys, except for aluminum pressure vessels and fluid-carrying pipe lines. Sections 1 through 7 constitute a body of rules for the regulation of welding in aluminum construction. This edition has been reorganized extensively from the 1997 edition. A Commentary on the code is also included with the document.



American Welding Society

550 N.W. LeJeune Road, Miami, Florida 33126

Table of Contents

	Page No.
<i>Personnel</i>	iii
<i>Foreword</i>	v
<i>List of Tables</i>	xii
<i>List of Figures</i>	xiii
1. <u>General Requirements</u>	1
1.1 Scope	1
1.2 Approval	1
1.3 Definitions	1
1.4 Welding Symbols	1
1.5 Safety Precautions	1
1.6 Standard Units of Measure	1
1.7 <u>Reference Documents</u>	1
2. <u>Design of Welded Connections</u>	3
2.0 <u>Scope</u>	3
2.1 <u>Structural Design</u>	3
2.2 Drawings	3
2.3 Groove Welds	4
2.4 Fillet Welds	4
2.5 Plug and Slot Welds	4
2.6 Filler Plates	5
3. <u>Qualification</u>	9
Part A—General Requirements	9
3.1 General	9
3.2 Qualification of WPSs	9
3.3 Qualification of Welders, Welding Operators, and Tack Welders	9
3.4 Position of Test Welds	9
Part B—Types of Tests, Test Methods, and Acceptance Criteria	10
3.5 Types and Purposes of Tests	10
3.6 Visual Examination	11
3.7 Tension Tests—Groove Welds	11
3.8 Bend Tests—Groove Welds—Plate and Pipe	12
3.9 Soundness Tests—Groove Welds in Castings	13
3.10 Soundness Tests—Fillet Welds	14
3.11 RT	14
Part C—WPS Qualification	14
3.12 General	14
3.13 Limits of Qualified Positions for WPSs	15
3.14 Limitation of Essential Variables—WPS Qualification	15
3.15 Tests—WPS Qualification	15
3.16 Retests	16
Part D—Performance Qualification	16
3.17 General	16
3.18 Limits of Qualified Positions for Performance	16

3.19	Preparation of Test Weldments—Performance Qualification.....	16
3.20	<u>Essential Variables</u>	17
3.21	Tests—Performance Qualification.....	17
3.22	Retests.....	18
3.23	Period of Effectiveness	18
4.	<i>Fabrication</i>	63
4.0	<u>Scope</u>	63
4.1	Processes.....	63
4.2	Base Metal	63
4.3	Filler Metal	63
4.4	Tungsten Electrodes.....	64
4.5	Shielding Gas.....	64
4.6	Welding and Cutting Equipment	64
4.7	Backing	64
4.8	Preheat and Interpass Temperatures	64
4.9	Welding Environment	64
4.10	Compliance with Design.....	64
4.11	Preparation of Base Metal	64
4.12	Assembly	66
4.13	<u>Technique</u>	66
4.14	Tack and Temporary Welds	66
4.15	Dimensional Tolerances <u>for Welded Members</u>	67
4.16	Arc Strikes	67
4.17	Weld Termination	67
4.18	Control of Distortion and Shrinkage.....	68
4.19	Weld Profiles.....	68
4.20	Repairs	69
4.21	Copper Inclusions	69
4.22	Cleaning of Completed Welds	69
4.23	Anti-Spatter Compound.....	69
4.24	<u>Postweld Heat Treatment</u>	69
5.	<i>Inspection</i>	77
	Part A—General Requirements.....	77
5.1	General.....	77
5.2	Inspection of Materials	78
5.3	Inspection of WPS Qualification and Equipment.....	78
5.4	Inspection of Welder, Welding Operator, and Tack Welder Qualifications	78
5.5	Inspection of Work and Records.....	78
5.6	Obligations of the Contractor	78
5.7	Nondestructive Testing	79
5.8	Extent of Testing.....	79
	Part B—Radiographic Testing (RT) of Groove Welds in Butt Joints.....	80
5.9	General.....	80
5.10	RT Procedures.....	80
5.11	Acceptability of Welds	82
5.12	Examination, Report, and Disposition of Radiographs	82
	Part C—Ultrasonic Testing (UT) of Groove Welds	82
5.13	General.....	82
	Part D —Acceptance Criteria.....	83
5.14	Visual Inspection	83

5.15	RT	83
5.16	UT	84
5.17	PT	84
6.	<i>Stud Welding</i>	97
	Part A—General Requirements	97
6.1	General	97
6.2	Material Requirements	97
6.3	Workmanship	97
6.4	Qualification Requirements	97
6.5	Operator and Preproduction Qualification	99
6.6	Acceptance Criteria—Production Welds	99
6.7	Mislocated Studs	99
6.8	Repair of Misapplied Studs	99
	Part B—Arc Stud Welding	99
6.9	General Requirements	99
6.10	Material Requirements	99
6.11	Workmanship	99
6.12	Technique	99
	Part C—Capacitor Discharge Stud Welding	100
6.13	General Requirements	100
6.14	Material Requirements	100
6.15	Technique	100
7.	<i>Strengthening and Repair of Existing Structures</i>	105
7.1	General	105
7.2	Base Metal	105
7.3	Design	105
7.4	Repair Procedure	105
7.5	Inspection	105
	<i>Nonmandatory Annexes</i>	107
	<i>Annex A—Reference Documents</i>	107
	<i>Annex B—Recommended Groove Welded Joints</i>	109
	<i>Annex C—Examples of Tubular Connections</i>	133
	<i>Annex D—Effective Throat</i>	137
	<i>Annex E—Sample Welding Forms</i>	139
	<i>Annex F—Sample NDT Forms</i>	147
	<i>Annex G—Solutions for Macroetching Aluminum Weldments</i>	151
	<i>Annex H—Guide for Specification Writers</i>	153
	<i>Annex I—Safe Practices</i>	155
	<i>Annex J—Tungsten Electrodes</i>	159
	<i>Annex K—Guidelines for Preparation of Technical Inquiries for AWS Technical Committees</i>	161
	<i>Annex L—Reorganization</i>	163
	<i>Commentary</i>	171
	<i>Foreword</i>	173
C1.	<i>General Requirements</i>	175
C1.1	Scope	175
C2.	<i>Design of Welded Connections</i>	177
C2.0	Scope	177
C2.1	Structural Design	177
C2.2	Drawings	177

	Page No.
C2.3 Groove Welds	178
C2.5 Plug and Slot Welds	178
<i>C3. Qualification</i>	179
Part A—General Requirements	179
C3.1 General	179
C3.3 Qualification of Welders, Welding Operators, and Tack Welders	179
Part B—Types of Tests, Test Methods, and Acceptance Criteria	179
C3.5 Types and Purposes of Tests	179
C3.8 <u>Bend Tests—Groove Welds—Plate and Pipe</u>	179
Part C—WPS Qualification	179
C3.13 Limits of Qualified Positions for WPSs	180
C3.14 Limitation of Essential Variables—WPS Qualification	180
C3.15 Tests—WPS Qualifications	180
Part D—Performance Qualification	180
C3.17 General	180
C3.20 Essential Variables	180
C3.22 Retests	180
<i>C4. Fabrication</i>	181
C4.1 Processes	181
C4.2 Base Metal	181
C4.3 Filler Metal	181
C4.8 Preheat and Interpass Temperatures	181
C4.9 Welding Environment	181
C4.11 Preparation of Base Material	181
C4.12 Assembly	182
C4.13 <u>Technique</u>	182
C4.14 Tack and Temporary Welds	182
C4.15 Dimensional Tolerances <u>for Welded Members</u>	182
C4.16 Arc Strikes	183
C4.17 Weld Termination	183
C4.18 Control of Distortion and Shrinkage	183
C4.19 Weld Profiles	183
C4.20 Repairs	183
C4.24 <u>Postweld Heat Treatment</u>	183
<i>C5. Inspection</i>	185
Part A—General Requirements	185
C5.1 General	185
C5.2 Inspection of Materials	185
C5.3 Inspection of WPS Qualification and Equipment	185
C5.4 Inspection of Welder, Welding Operator, and Tack Welder Qualifications	185
C5.5 Inspection of Work and Records	186
C5.6 Obligations of the Contractor	186
C5.7 NDT	186
C5.8 Extent of Testing	186
Part B—RT of Groove Welds in Butt Joints	187
C5.9 General	187
C5.10 RT Procedures	187
C5.12 Examination, Report, and Disposition of Radiographs	188

	Page No.
Part C—UT of Groove Welds	188
C5.13 General	188
<i>C6. Stud Welding</i>	189
Part A—General Requirements	189
C6.2 Material Requirements	189
C6.3 Workmanship.....	189
C6.4 Qualification Requirements.....	189
C6.5 Operator Preproduction Qualification	189
C6.6 Acceptance Criteria—Production Welds.....	189
C6.7 Mislocated Studs.	190
C6.8 Repair of Misapplied Studs	190
Part B—Arc Stud Welding	190
C6.12 Technique	190
<i>C7. Strengthening and Repair of Existing Structures</i>	191
C7.1 General	191
C7.2 Base Metal.....	191
C7.3 Design.....	191
<i>Index</i>	193
<i>List of AWS Documents on Structural Welding</i>	201

List of Tables

Table	Page No.
2.1 Minimum Diameter of Hole for Plug Welds or Width of Slot for Slot Welds	6
3.1 Limitations of Essential Variables of a WPS	19
3.2 Tensile Strength of Welded Aluminum Alloys (GTAW or GMAW with No Postweld Heat Treatment)....	21
3.3 WPS Qualification—Type of Weld and Position Limitations.....	23
3.4 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification— CJP Groove Welds	24
3.5 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification— PJP Groove Welds	27
3.6 Number and Type of Test Specimens and Range of Thickness Qualified—WPS Qualification— Fillet Welds	28
3.7 Welder Performance Qualification—Type of Weld and Position Limitations	29
3.8 Number and Type of Test Specimens and Range of Thickness Qualified—Welder and Welding Operator Qualification	30
3.9 Welding Personnel Performance Essential Variable Changes Requiring Requalification	34
4.1 Aluminum Alloy Products Available for Structural Applications	70
4.2 Recommended Aluminum Alloy Filler Metals for Structural Welding of Various Base Aluminum Alloys	71
4.3 Limit of Acceptability and Repair of Cut Edge Discontinuities in Plate	72
4.4 Technique	72
4.5 Maximum Heat Exposure Time at Temperature	73
5.1 Hole-Type IQI Requirements	85
5.2 Wire IQI Requirements	85
5.3 Acceptable Undercut Values (Cyclically Loaded Nontubular Structures).....	86
5.4 Maximum Acceptable Porosity in Radiographs for Any 3 in. [75 mm] Length of Weld (<u>Cyclically</u> Loaded Nontubular)	86
5.5 Acceptance Criteria—Class I Structures.....	86
5.6 Acceptance Criteria—Class II Structures	87
5.7 Maximum Acceptable Porosity in Radiographs for Any 3 in. [75 mm] Length of Weld (Tubular).....	87
6.1 Minimum Required Torque Values and Tension Loads for Welding F-22 Aluminum-Alloy Studs.....	101
6.2 <u>Stud Alloys for Arc Stud Welding of Various Base Alloys</u>	101
6.3 <u>Stud Alloys for Capacitor Discharge Stud Welding of Various Base Alloys</u>	102
J-1 Typical Current Ranges for Tungsten Electrodes.....	159
J-2 Typical Chemical Composition of Tungsten Electrodes	160

List of Figures

Figure	Page No.
2.1	7
2.2	8
2.3	8
3.1	35
3.2	36
3.3	37
3.4	38
3.5	39
3.6	40
3.7	41
3.8	42
3.9	42
3.10	43
3.11	44
3.12	45
3.13	46
3.14	47
3.15	49
3.16	51
3.17	52
3.18	53
3.19	54
3.20	55
3.21	56
3.22	56
3.23	57
3.24	57
3.25	58
3.26	58
3.27	59
3.28	59
3.29	60
3.30	60
3.31	60
3.32	61
3.33	61
3.34	62
4.1	74
4.2	75
5.1	88
5.2	89

5.3	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints 10 in. [250 mm] and Greater in Length	90
5.4	Radiographic Identification and Hole-Type or Wire IQI Locations on Transition Joints Less Than 10 in. [250 mm] in Length.....	91
5.5	Hole-Type IQI Design.....	92
5.6	Wire IQI	94
5.7	RT Edge Blocks	95
5.8	Acceptable Undercut for Nontubular Statically Loaded Structures.....	95
5.9	Acceptable Undercut for Total Length of Joint—Class I Tubular Structures	96
6.1	Stud Weld Bend Jig.....	103
6.2	Torque Testing Arrangement for Stud Welds.....	104

Annexes

B1	Recommended CJP Groove Welded Joints	110
B2	PJP Box Connections	131
B3	PJP—Circular—Tubular Joints for T-, Y-, and K-Connections Made by GTAW and GMAW	132
C1	Examples of Tubular Connections	134
D1	Effective Throats of PJP Groove Welds Reinforced with Fillet Welds.....	137

Commentary

C4.1	Examples of Unacceptable Cutting Beyond the Point of Tangency	184
C4.2	Permissible Offset in Abutting Members.....	184
C4.3	Correction of Misaligned Members	185
C4.4	Measurement of Flange Warpage and Tilt	185

Structural Welding Code—Aluminum

1. General Requirements

1.1 Scope

This code contains the requirements for fabricating and erecting welded aluminum structures. When this code is stipulated in the contract documents, conformance with all provisions of the code shall be required, except those provisions that the Engineer or contract documents specifically modifies or specifically exempts.

1.1.1 Limitations. This code is not intended for specialized fabrication such as pressure vessels or pressure piping.

1.1.2 Alternate Requirements. Alternate requirements from those in this code shall be submitted to the Engineer for approval. These requirements shall be based on experience, experimental evidence, or engineering analyses, and shall consider materials, loads, and environment.

1.2 Approval

All references to the need for approval shall be interpreted to mean approval by the Building Commissioner or the Engineer. Hereinafter, the term *Engineer* shall be used, and is to be construed to mean the Building Commissioner or the Engineer.

1.3 Definitions

Welding terms used in this code shall be interpreted in conformance with the latest edition of AWS A3.0, *Standard Welding Terms and Definitions*.

1.4 Welding Symbols

Welding symbols shall conform to the latest edition of AWS A2.4, *Symbols for Welding, Brazing, and Non-*

destructive Examination. Special conditions shall be explained in notes or details.

1.5 Safety Precautions

1.5.1 This code may involve hazardous materials, operations, and equipment. The code does not purport to address all of the safety problems associated with its use. It is the responsibility of the user to establish appropriate safety and health practices. The user should determine the applicability of any regulatory limitations prior to use.

1.5.2 Safety precautions shall conform to the latest edition of ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*, published by the American Welding Society (see Annex I, Safe Practices).

1.6 Standard Units of Measure

This standard makes use of both U.S. Customary Units and the International System of Units (SI). The measurements may not be exact equivalents; therefore, each system shall be used independently of the other without combining in any way. The standard with the designation D1.2:2003 uses U.S. Customary Units. The standard with the designation D1.2M:2003 uses SI units. The latter are shown within brackets.

1.7 Reference Documents

Annex A contains a list of all documents referenced in this code.